



CPT1A gene

carnitine palmitoyltransferase 1A

Normal Function

The *CPT1A* gene provides instructions for making an enzyme called carnitine palmitoyltransferase 1A, which is found in the liver. This enzyme is essential for fatty acid oxidation, a multistep process that breaks down (metabolizes) fats and converts them into energy. Fatty acid oxidation takes place within mitochondria, which are the energy-producing centers in cells. A group of fats called long-chain fatty acids cannot enter mitochondria unless they are attached to a substance known as carnitine. Carnitine palmitoyltransferase 1A connects carnitine to long-chain fatty acids so they can cross the inner membrane of mitochondria. Once these fatty acids are inside mitochondria, carnitine is removed and they can be metabolized to produce energy. During periods of fasting, long-chain fatty acids are an important energy source for the liver and other tissues.

Health Conditions Related to Genetic Changes

carnitine palmitoyltransferase I deficiency

More than 20 mutations in the *CPT1A* gene have been found to cause carnitine palmitoyltransferase I (CPT I) deficiency. Most of these mutations change single protein building blocks (amino acids) within carnitine palmitoyltransferase 1A. Mutations in the *CPT1A* gene severely reduce or eliminate the activity of this enzyme. Without enough of this enzyme, carnitine is not attached to long-chain fatty acids. As a result, these fatty acids cannot enter mitochondria and be converted into energy. Reduced energy production can lead to some of the features of CPT I deficiency, such as low blood sugar (hypoglycemia) and low levels of the products of fat breakdown (hypoketosis). Fatty acids may also build up in cells and damage the liver, heart, and brain. This abnormal buildup causes the other signs and symptoms of the disorder.

other disorders


CPT1A gene mutations appear to increase the risk of a serious liver disorder that can develop in women during pregnancy. This disorder, called acute fatty liver of pregnancy, begins with abdominal pain and can rapidly progress to liver failure. Signs of acute fatty liver of pregnancy include an abnormal accumulation of fat in the liver, hypoglycemia, increased levels of ammonia in the blood (hyperammonemia), and abnormalities in liver enzymes. A small percentage of women who have a mutation in one copy of the *CPT1A* gene in each cell and are carrying a fetus with mutations

in both copies of the *CPT1A* gene develop this maternal liver disease. Little is known about the relationship between *CPT1A* gene mutations and liver problems in the mother during pregnancy.

Chromosomal Location

Cytogenetic Location: 11q13.3, which is the long (q) arm of chromosome 11 at position 13.3

Molecular Location: base pairs 68,754,620 to 68,844,410 on chromosome 11 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- carnitine palmitoyltransferase 1A (liver)
- carnitine palmitoyltransferase I, liver
- CPT1
- CPT1-L
- CPT1A_HUMAN
- L-CPT1

Additional Information & Resources

Educational Resources

- Biochemistry (fifth edition, 2002): Carnitine Carries Long-Chain Activated Fatty Acids into the Mitochondrial Matrix
<https://www.ncbi.nlm.nih.gov/books/NBK22581/#A3054>

GeneReviews

- Carnitine Palmitoyltransferase 1A Deficiency
<https://www.ncbi.nlm.nih.gov/books/NBK1527>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28CPT1A%5BTIAB%5D%29+OR+%28carnitine+palmitoyltransferase+1A%5BTIAB%5D%29%29+OR+%28%28carnitine+palmitoyltransferase+1A%5BTIAB%5D%29+OR+%28CPT1%5BTIAB%5D%29+OR+%28carnitine+palmitoyltransferase+I%5BTIAB%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1080+days%22%5Bdp%5D>

OMIM

- CARNITINE PALMITOYLTRANSFERASE I, LIVER
<http://omim.org/entry/600528>

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology
http://atlasgeneticsoncology.org/Genes/GC_CPT1A.html
- ClinVar
<https://www.ncbi.nlm.nih.gov/clinvar?term=CPT1A%5Bgene%5D>
- HGNC Gene Symbol Report
http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=2328
- NCBI Gene
<https://www.ncbi.nlm.nih.gov/gene/1374>
- UniProt
<http://www.uniprot.org/uniprot/P50416>

Sources for This Summary

- Akkaoui M, Cohen I, Esnous C, Lenoir V, Sournac M, Girard J, Prip-Buus C. Modulation of the hepatic malonyl-CoA-carnitine palmitoyltransferase 1A partnership creates a metabolic switch allowing oxidation of de novo fatty acids. *Biochem J.* 2009 May 27;420(3):429-38. doi: 10.1042/BJ20081932.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19302064>
- Bennett MJ, Boriack RL, Narayan S, Rutledge SL, Raff ML. Novel mutations in CPT 1A define molecular heterogeneity of hepatic carnitine palmitoyltransferase I deficiency. *Mol Genet Metab.* 2004 May;82(1):59-63.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15110323>
- Bonnefont JP, Djouadi F, Prip-Buus C, Gobin S, Munnich A, Bastin J. Carnitine palmitoyltransferases 1 and 2: biochemical, molecular and medical aspects. *Mol Aspects Med.* 2004 Oct-Dec;25(5-6):495-520. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15363638>

- Brown NF, Mullur RS, Subramanian I, Esser V, Bennett MJ, Saudubray JM, Feigenbaum AS, Kobari JA, Macleod PM, McGarry JD, Cohen JC. Molecular characterization of L-CPT I deficiency in six patients: insights into function of the native enzyme. *J Lipid Res.* 2001 Jul;42(7):1134-42.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11441142>
- OMIM: CARNITINE PALMITOYLTRANSFERASE I, LIVER
<http://omim.org/entry/600528>
- GeneReview: Carnitine Palmitoyltransferase 1A Deficiency
<https://www.ncbi.nlm.nih.gov/books/NBK1527>
- Gobin S, Bonnefont JP, Prip-Buus C, Mugnier C, Ferrec M, Demaugre F, Saudubray JM, Rostane H, Djouadi F, Wilcox W, Cederbaum S, Haas R, Nyhan WL, Green A, Gray G, Girard J, Thuillier L. Organization of the human liver carnitine palmitoyltransferase 1 gene (CPT1A) and identification of novel mutations in hypoketotic hypoglycaemia. *Hum Genet.* 2002 Aug;111(2):179-89. Epub 2002 Jul 16.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12189492>
- Gobin S, Thuillier L, Jogl G, Faye A, Tong L, Chi M, Bonnefont JP, Girard J, Prip-Buus C. Functional and structural basis of carnitine palmitoyltransferase 1A deficiency. *J Biol Chem.* 2003 Dec 12;278(50):50428-34. Epub 2003 Sep 29.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/14517221>
- Longo N, Amat di San Filippo C, Pasquali M. Disorders of carnitine transport and the carnitine cycle. *Am J Med Genet C Semin Med Genet.* 2006 May 15;142C(2):77-85. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16602102>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2557099/>
- Prasad C, Johnson JP, Bonnefont JP, Dilling LA, Innes AM, Haworth JC, Beischel L, Thuillier L, Prip-Buus C, Singal R, Thompson JR, Prasad AN, Buist N, Greenberg CR. Hepatic carnitine palmitoyl transferase 1 (CPT1 A) deficiency in North American Hutterites (Canadian and American): evidence for a founder effect and results of a pilot study on a DNA-based newborn screening program. *Mol Genet Metab.* 2001 May;73(1):55-63.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11350183>
- Ramsay RR, Zammit VA. Carnitine acyltransferases and their influence on CoA pools in health and disease. *Mol Aspects Med.* 2004 Oct-Dec;25(5-6):475-93. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15363637>

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/gene/CPT1A>

Reviewed: November 2010
Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services